














1127N















1127F


1127

NR	ELEMENT	1127N	1127F
E1		1	1
E2		1	1
E3		1	1
E4		1	1
E5		1	1
E6		1	1

NR	ELEMENT	1127N	1127F
E7	 <p>F11P_1_HP_g13_v2 83 x 83</p>	2	2
E8		1	1
E9	 <p>R1100_3_Y_v1 L= 70</p>	3	3
E10	 <p>H=120cm</p>	1	1
E11		1	1
E12	 <p>R</p>	2	1

NR	ELEMENT	1127N	1127F
E13			1
E14		2	2
E15	 <p>F3023_1_HP_g13_v1</p>	1	1
E16	 <p>H=120cm</p>	1	1
E17	 <p>H=150cm</p>	1	1
E18	 <p>F1100_0_PE_g15_v1</p>	1	1










NR	ELEMENT	1127N	1127F
E19	 <p>F1100_9_PE_g15_v1</p>	1	1
E20	 <p>F1100_24_PE_g15_v1</p>	1	1
E21	 <p>F11X_12_PE_g15_v2</p>	1	1
E22	 <p>F11X_4_PE_g15_v2</p>	6	6
E23	 <p>F11X_11_PE_g15_v1</p>	2	2
E24		1	1




1127N

1127F

Nr	Element	DIN	ELEMENT	Σ	Σ
4		DIN 125	10x20	16	16
10		DIN 9021	6x18	50	50
15		ISO 7380	M6x30	16	16
16		-	K1_d21_B	50	50
17		-	Z1_d21_B	50	50
18		DIN 985	M6	38	38
21		DIN 125	8x16	24	28
22		DIN 125	6x12	50	54
23		-	M6x12	24	28
24		ISO 7380	M6x16	8	12
25		ISO 7380	M6x35	26	26
29		-	K_5_A2_g2_G_v2	4	4
51		ISO 7380	M6x45	12	12
57		DIN 1587	M10	8	8
58		-	LOCTITE	1	1
61		-	KL105		32
79		ISO 7380	M10x40		4

				1127N	1127F
Nr	Element	DIN	ELEMENT	Σ	Σ
81		ISO 7380	M10x35	4	4
109		DIN 913	10x10	2	2
136		-	1100_6_A2_g3_G_v1		2
139		DIN 7991	M6x16		16
213		-	Z_NA_1	1	1
214		-	Z_NA_2	1	1
3		-	K2_d30_B	8	8
6		-	Z2_d30_B	8	8


1127N
1127F





Technical drawing of a mechanical assembly, likely a lamp or light fixture, showing dimensions in millimeters. The drawing includes a side view and a top view.

Dimensions:


- Overall width: 812
- Overall height: 748
- Distance from left edge to center of mounting bracket: 150
- Distance from center of mounting bracket to right edge: 694
- Distance from center of mounting bracket to center of arm: 174
- Distance from center of arm to center of reflector: 297
- Distance from center of mounting bracket to center of reflector: 392
- Distance from center of mounting bracket to center of reflector (vertical): 750
- Distance from center of mounting bracket to center of reflector (horizontal): 874
- Distance from center of mounting bracket to center of reflector (diagonal): 186
- Distance from center of mounting bracket to center of reflector (vertical): 200
- Distance from center of mounting bracket to center of reflector (horizontal): 100



1127N




1127F




1 1127N
1127F

INST_11_18




2 1127N
1127F

INST_11_05
INST_11_41
INST_11_68A




3 1127N
1127F

INST_11_68A
INST_11_68B
INST_11_68C



4 1127N
1127F


INST_11_18
INST_11_72



5 1127N
1127F




INST_11_66




6 1127N
1127F



INST_11_41
INST_11_68A






8

1127N



INST_11_26




8

1127F



INST_11_26




9

1127N
1127F



INST_11_70





10



1127N
1127F




INST_11_26
INST_Z_1




1127N




A



B



B25 0,6m³



min. 48h

1127F

Nr	Σ	Element	DIN	ELEMENT
61	3		-	KL105

